G. R. S. 59]

GENERAL AND REVENUE SECRETARIAT.

1900-12.
(Genl. Misc.)

File No. 61-11

Serial Nos. 1-2

Papers Filed.

Month July 1911

SUBJECT

Rules for the Care and use of Christian Cemeteries in Mysore

PREVIOUS REFERENCES.	LATER REFERENCES.
G.M. 196-09/10 73-10/11 1-2	

ICMMishmandanny for 18-8-11

G.R.S. 11] 1911-12

GENERAL AND REVENUE SECRETARIAT.

(G. M.)

NOTES.

G. M. File No. 66 of 1911-12.

FILE HEADING.

Rules for the care & use of Christian Cemeteries in Mysore.

From

The F. A. Resident.

No. 4003. Dated 7. 7. 11. Received 7. 7. 11.

Diary No. 129 | Enclos. - | Spare Copies | Serial No. 1.

BRIEF ABSTRACT OF LETTER.

Forwards a copy of Govt. of India Notfn No 265 dated 16. 6. 11 directing certain alterations in the Ecclesiastl Rules published with Home Deptt No 465 8/6. 11. 09.

NOTES AND ORDERS.

Subd with a draft Notfn.

46 Issue
17. 7. 11 Pon.
17. 7. 11.

NOTES—First sheet

GPB—30,000—3-4-07.

G. R. S. 12]
General and Revenue Secretariat.

(12

GM File No. 61 of 1911

	Serial No.	
	2	To the Compiler, Mysore Gazette. No C 5400 dt 19.7.
		Publishes the above notifn.
7		To the Secy, PWD & DCs d/Dt. No C 5401-9 dt 19.7.11
		Forwards copy of the above for info &
		guidance.

NOTE—Contn. sheet.

GPB—50,000—12-8-10

No. 260.

Department of Education.

(Ecclesiastical.)

(1)

Simla, the 16th June 1911.

Notification.

The Governor General in Council is pleased to direct that the following alterations shall be made in the Ecclesiastical rules published with the Home Department No. 465, dated the 6th November 1909

In the third line of rule 15 in part 1 for "not exceeding 3' x 2'" read "at least 3' x 2' x 1½'".

In note (2) to rule 2 Part IV. for the words "plain stone monuments" read "single stone monuments"-

For the definition of class A, single stone monuments, in rule 6 part IV substitute "Monuments consisting of (a) simple crosses or head-stones not exceeding 3 feet in height from the ground level and having the full section of the stone embedded to a depth of at least 12 inches, in masonry foundations measuring at least 3 feet by 2 feet in size by 1½ feet in depth or (b) slabs over unexposed masonry foundations".

Sd/- L.C.Porter.

Secretary to the Government of India.

61-11-1

8/129

5

No. 4003.

Mysore Resident's Office.

Bangalore Dated 7th July 1911.

A copy of the foregoing notification is forwarded herewith to the Government of His Highness the Maharaja of Mysore, for information in continuation of this office endorsement No. 1462, dated the 7th March 1911.

First Assistant Resident.

3

129/1817

G.R.S. 26]

(2)

Our File No. 64-11

Serial No. 2

*Diary No. of letter replied to*_____

No: G 400

General and Revenue Secretariat

( )

, *the* 19 .

Date of issue 19 7 11

Signed by Mr P Narasimmaniyar

The following notifn No 260 of 16.6.11 of the Govt of India in the Dept of Education (Ecclesiastical) is published for general information & the guidance of the officers concerned in Continuation of Govt notifn No G.5559/G.M. 73-10-10 dated 25-3-11

Flag R.

Secy to Govt of India

By Order,

For officers

over.

SUBJECT.

17/7

P.T.O

W. 8.17/11

To The Compiler, Mysore Gazette,

for publication in the Gazette & for the supply of 20 spare copies each to the Secy to Govt P.W. Dept & the Dy Comrs of Dts and 50 spare copies to the Genl & Rev Sects.

No G. 401-9 dt 19. 7. 11

Copy of the above is forwarded to the Secy to Govt P.W. Dept & the D.C's of Dists for information & guidance.

By Order,

for Offg Secy

List of enclosures

Copied by

Examined by

GPB—20,000—25-9-10

Government of His Highness the Maharaja of Mysore,
General and Revenue Secretariat,
Dated Bangalore, July 1911.

No.

N O T I F I C A T I O N .

The following Notification No. 260 dated 16th June 1911 of the Government of India in the Department of Education (Ecclesiastical) is published for general information and the guidance of the officers concerned in continuation of Government Notification No. G. 5559/G.M. 73-10-10 dated 25th March 1911.

The Governor General in Council is pleased to direct that the following alterations shall be made in the Ecclesiastical rules published with the Home Department No. 465, dated the 6th November 1909:-

In the third line of rule 15 in part 1 for " not exceeding 3' x 2' " read " at least 3' x 2' x 1½' ".

In note (2) to rule 2 Part IV, for the words " plain stone monuments " read "single stone monuments"-

For the definition of class A, single stone monuments, in rule ~~¥~~ 6 Part IV substitute " Monuments consisting of (a) simple crosses or head-stones not exceeding 3 feet in heightfrom the ground level and having the full section of the stone embedded to a depth of at least 12 inches, in masonry foundations measuring at least 3 feet by 2 feet in size by 1½ feet in depth or (b) slabs over unexposed masonry foundations

---0---

" By Order "

Offg: Secretary to Government.

To

The Compiler, Mysore Gazette, for publication in the Gazette

and for the supply of 20 spare copies each to the Secretary to the Government, Public Works Department and the Deputy Commissioners of Districts and 50 spare copies to the General and Revenue Secretariat.

A.V.

GENERAL.

(6)

No. G. 400—*G. M.* 61-11-2, *dated* 19*th July* 1911.

The following Notification No. 260, dated 16th June 1911, of the Government of India in the Department of Education (Ecclesiastical) is published for general information and the guidance of the officers concerned in continuation of Government Notification No. G. 5559—G. M. 73-10-10, dated 25th March 1911 :—

"The Governor-General in Council is pleased to direct that the following alterations shall be made in the Ecclesiastical Rules published with the Home Department No. 465, dated the 6th November 1909 :—

In the third line of Rule 15 in Part I for 'not exceeding 3′×2′' read 'at least 3′×2′×$1\frac{1}{2}$′.'

In note (2) to Rule 2, Part IV, for the words 'plain stone monuments' read 'single stone monuments.'

For the definition of class A, single stone monuments, in Rule 6, Part IV, substitute 'monuments consisting of (*a*) simple crosses or head-stones not exceeding 3 feet in height from the ground level and having the full section of the stone embedded to a depth of at least 12 inches, in masonry foundations measuring at least 3 feet by 2 feet in size by 1 feet in depth or (*b*) slabs over unexposed masonry foundations.'"

By Order,
C. S. BALASUNDARAM IYER,
Offg. Secy. to Govt., Gen. & Rev. Depts.